

PKCELL[®]
Green energy, easy life



Product Catalogue

Green energy, easy life

Shenzhen PKCELL Battery Co LTD is one of largest battery manufacturing enterprises in China for its biggest production

www.pkcell.com

PKCELL[®]
Green energy, easy life

SHENZHEN PKCELL BATTERY CO.,LTD

Address : E2 Building,Guangming Technology Park,No.24 Zhonghua Road,Longhua New Area,Shenzhen

Tel: 86-755-33225299/86670672(switchboard)

Fax: 86-755-86670609

Website: www.pkcell.com

For retailing: www.pkcellshop.com

E-mail: www.pkcell@pkcell.com

Green energy, easy life

BRAND STORY

PKCELL

Mr Lee Zhijiang

The brand story starts when Mr Lee Zhijiang, a physics engineer, set up Shenzhen PKCELL Battery CO., Ltd in 1998. Till to now, PKCELL has developed as a renowned battery manufacturer leader at domestic and overseas. The brand comes from Power King CELL. It means the King of power battery.

In 1997, Mr Lee was a senior engineer working in Chinese Physics research institute. One day he went to a small town for business. Unfortunately, the hotel happened to power outage when he was in urgent need of writing a document at that night. Furthermore, the flashlight was power off soon. He ran across several streets but failed to find suitable battery there.

Immersed in thought in darkness, he wondered if he could produce long-lasting batteries and spread them all over the world, it would be convenient to more people.

In the second year, He resolutely resigned his originally stable job regardless of his relative's and friend's dissuasion. Then, he came to ShenZhen to realize his dream and finally set up PKCELL Brand.

Innovation is not only the core competitiveness of manufacturing, but also the soul of PKCELL's continuous development. PKCELL specializes in battery manufacturing over 16 years, pursues excellence and perfect balance of science and technology innovation, keeps learning, updates technology, and constantly develops a series of strong and environmental-friendly battery. PKCELL is not only a creator in the field of battery, but also the founder of better life.

CONTENTS

1 COMPANY PROFILE

2 ADVANTAGES

3 DEVELOPMENT

4 PRODUCTS DISPLAY

5 PARTNERS

6 FUTURE PROSPECTS



Green energy, easy life

Began in 1998

COMPANY PROFILE

Shenzhen Pkcell Battery Co.,Ltd

Shenzhen PKCELL Battery Co.,Ltd which was established in 1998, a high-tech enterprise combining R &D ,manufacturing and marketing of batteries, battery chargers and power banks etc.Our products include Ni-Mh/Ni-Cd rechargeable batteries, alkaline batteries ,super heavy duty batteries, alkaline and lithium button cells , Li-SOCl₂,Li-MnO₂ batteries, cordless phone batteries, chargers and power banks which involve in many fields such as Telecommunication, digital electronics , consumer electronics like , toys, household appliances ,water meters and emergency devices etc .

PKCELL owns an industrial area of 28,000 square meters, more than 500 skillful staff, including R&D engineering team with over 30 people who research and develop new products independently to ensure high quality products, and 50 professional quality control members. Our factory brings in advanced technology and production equipments with 20 high speed automatic production lines to be capable of providing high quality ,large production capacity and timely delivery .

PKCELL adheres to the concept of "Quick response, high quality ,competitive price, timely delivery and excellent service " , our quality control is rigorously performed in accordance with IEC, CE, RoHS and 98/101/EC international standards. We have set up oversea distribution agents , exported products to more than 30 Countries , and have won a good reputation worldwide.PKCELL is proud to stand behind its reputation of quality , reliability of products , performance and service to customers all over the world and we are a true partner in your business successes!



OUR ADVANTAGES

About our quality

ISO9001:2008, TUV approved enterprise. All PKCELL products go through five steps' full inspection from the incoming material to finished goods.

About our brand

PKCELL brand has enjoyed a good reputation overseas.

About our products

Ultra alkaline, super alkaline, super heavy duty, extra heavy duty, CR button cell, AG button cell, NiMH rechargeable battery, charger.

About our service

Comprehensive supports including promotional material, advertisement, local exhibitions and decoration for unified retail stores, Professional marketing and selling training & advice. One-to-one pre-sales and after-sale service.

About battery business

Battery will be seen in people's daily life. It is a big success and big fortune in your business.

DEVELOPMENT

1998

Established in 1998, PKCELL developed high efficient Carbon Zinc battery, and then the first PKCELL battery came into being.

2001

With the introduction of Japanese quality management system, new environmental friendly zinc chloride and alkaline batteries were sold as industrial supporting products.

2003

Confirmed "To make PKCELL as Chinese first class battery brand" as strategic target formally, and set up exhibition booths in the major electronic shows abroad to develop overseas business vigorously.

2006

Put the first rechargeable battery product line into production and got ISO9001 Quality Management Certification in the same year.

2009

PKCELL entered international market formally, put efforts to build a sales circle with Europe&America as center and extending to Asia, Africa and Oceania.

2011

Researched and developed new product in hi-tech battery field---power bank, which made PKCELL the pioneer of power bank in Asia.

2014

Set up brand department and exert strength to make PKCELL a first-class battery brand in the world. With the upgrading of all products, PKCELL entered a new milestone.

Non-rechargeable

Products Series

- Ultra Digital Alkaline Battery
- Super Alkaline Battery
- Extra Heavy Duty
- Super Heavy Duty Battery
- Button Cell
- Photo Lithium Battery



(compared with super alkaline)



Ultra Digital Alkaline Battery

PKCELL Ultra Digital Alkaline Battery is newly developed by PKCELL R&D team. It is special for high drain devices with more than 10 years' warranty, offer unbeatable performance for digital cameras, music players and electronic games.



LR20-2B

1.5V, D size



Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
 48 packs/carton
Carton dimension (cm) 35(L) * 25(W) * 22(H)
Gross weight 15kg
Volume 0.0192cbm



LR14-2B

1.5V, C size



Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
 72 packs/carton
Carton dimension (cm) 30(L) * 28.5(W) * 21(H)
Gross weight 11kg
Volume 0.0179cbm



LR6-2B

1.5V, AA size



Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
 144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 8kg
Volume 0.0186cbm



LR03-2B

1.5V, AAA size



Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
 144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 5kg
Volume 0.0150cbm



LR6-4B

1.5V, AA size



Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 15kg
Volume 0.0186cbm



LR03-4B

1.5V, AAA size



Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 15kg
Volume 0.0150cbm



LR6-8B

1.5V, AA size



Compliance CE ROHS
Packing 8 pcs/pack, 12 packs/box
 72 packs/carton
Carton dimension (cm) 31.5(L) * 28.0(W) * 22.5(H)
Gross weight 15.1kg
Volume 0.0198cbm



LR03-8B

1.5V, AAA



Compliance CE ROHS
Packing 8 pcs/pack, 12 packs/box
 72 packs/carton
Carton dimension (cm) 30.0(L) * 22.0(W) * 20.0(H)
Gross weight 8.3kg
Volume 0.0132cbm



LR03-24B

1.5V, AAA size



Compliance CE ROHS
Packing 24 pcs/pack, 12 packs/box
 24 packs/carton
Carton dimension (cm) 25.5(L) * 23.0(W) * 18.5 (H)
Gross weight 7.7kg
Volume 0.010cbm



LR6-24B

1.5V, AA size



Compliance CE ROHS
Packing 24 pcs/pack, 12 packs/box
 24 packs/carton
Carton dimension (cm) 27.5(L) * 26.5(W) * 21.0(H)
Gross weight 15kg
Volume 0.0153cbm




6LR61-1B

9V



Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
 120 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 7kg
Volume 0.0186cbm



LR1-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
 192 packs/carton
Carton dimension (cm) 36.2(L) * 25.0(W) * 20.0(H)
Gross weight 6.3kg
Volume 0.0181cbm



23A-1B

12V



Compliance CE ROHS
Packing 1 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.5kg
Volume 0.0177cbm



27A-1B

12V



Compliance CE ROHS
Packing 1 pcs/pack, 20 packs/box
 200 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 2.5kg
Volume 0.0177cbm



23A-5B

12V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 200 packs/carton
Carton dimension (cm) 26.3(L) * 18.8(W) * 31(H)
Gross weight 10kg
Volume 0.0153cbm



27A-5B

12V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 200 packs/carton
Carton dimension (cm) 26.3(L) * 18.8(W) * 31(H)
Gross weight 7kg
Volume 0.0153cbm

> Shrink Wrap Packaging



LR20-4S

1.5V, D size



Compliance CE ROHS
 Packing 4 pcs/pack, 6 packs/box
 30 packs/carton
 Carton dimension (cm) 38(L) * 23(W) * 14.5(H)
 Gross weight 22kg
 Volume 0.011cbm



LR14-4S

1.5V, C size



Compliance CE ROHS
 Packing 4 pcs/pack, 6 packs/box
 30 packs/carton
 Carton dimension (cm) 42(L) * 23(W) * 12.5(H)
 Gross weight 11kg
 Volume 0.012cbm



6LR61-1S

9V



Compliance CE ROHS
 Packing 1 pcs/pack, 24 packs/box
 288 packs/carton
 Carton dimension (cm) 31 (L) * 18(W) * 18(H)
 Gross weight 13kg
 Volume 0.01cbm



6LR61-4S

9V



Compliance CE ROHS
 Packing 4 pcs/pack, 6 packs/box
 72 packs/carton
 Carton dimension (cm) 31 (L) * 18(W) * 18(H)
 Gross weight 13kg
 Volume 0.01cbm



LR20-2S

1.5V, D size



Compliance CE ROHS
 Packing 2 pcs/pack, 12 packs/box
 60 packs/carton
 Carton dimension (cm) 38(L) * 23(W) * 14.5(H)
 Gross weight 22kg
 Volume 0.011cbm



LR14-2S

1.5V, C size



Compliance CE ROHS
 Packing 2 pcs/pack, 12 packs/box
 60 packs/carton
 Carton dimension (cm) 42(L) * 23(W) * 12.5(H)
 Gross weight 11kg
 Volume 0.012cbm

Super Alkaline Battery

PKCELL super alkaline battery is widely used for many applications including cameras, toys, radios, flashlights, doorbell. It is always warmly welcomed by our customers for its outstanding performance and good cost performance.



LR6-4S

1.5V, AA size



Compliance CE ROHS
 Packing 4 pcs/pack, 15 packs/box
 180 packs/carton
 Carton dimension (cm) 31(L) * 19(W) * 18(H)
 Gross weight 18kg
 Volume 0.0106cbm



LR03-4S

1.5V, AAA size



Compliance CE ROHS
 Packing 4 pcs/pack, 15 packs/box
 300 packs/carton
 Carton dimension (cm) 28(L) * 14.5(W) * 20.5(H)
 Gross weight 15kg
 Volume 0.0083cbm



LR6-2B

1.5V, AA size



Compliance CE ROHS
 Packing 2 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
 Gross weight 8kg
 Volume 0.0186cbm



LR03-2B

1.5V, AAA size



Compliance CE ROHS
 Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
 Gross weight 5kg
 Volume 0.0150cbm



LR6-8S

1.5V, AA size



Compliance CE ROHS
 Packing 8pcs/pack, 20 packs/box
 80 packs/carton
 Carton dimension (cm) 31(L) * 19(W) * 18(H)
 Gross weight 18kg
 Volume 0.0106cbm



LR03-8S

1.5V, AAA size



Compliance CE ROHS
 Packing 8 pcs/pack, 20 packs/box
 80 packs/carton
 Carton dimension (cm) 23.5(L) * 18.5(W) * 22(H)
 Gross weight 8kg
 Volume 0.01cbm



LR6-4B

1.5V, AA size



Compliance CE ROHS
 Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
 Gross weight 15kg
 Volume 0.0186cbm



LR03-4B

1.5V, AAA size



Compliance CE ROHS
 Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
 Gross weight 15kg
 Volume 0.0150cbm



LR6-10S

1.5V, AA size



Compliance CE ROHS
 Packing 10 pcs/pack, 5 packs/box
 100 packs/carton
 Carton dimension (cm) 31(L) * 19(W) * 18(H)
 Gross weight 20kg
 Volume 0.0106cbm



LR03-10S

1.5V, AAA size



Compliance CE ROHS
 Packing 10 pcs/pack, 5 packs/box
 100 packs/carton
 Carton dimension (cm) 28(L) * 14.5(W) * 20.5(H)
 Gross weight 14kg
 Volume 0.0083cbm

Extra Heavy Duty

PKCELL Zinc Carbon batteries offer a long shelf life as well as reliability, versatility and savings. It is a great choice for small household electronic devices that need continuous power such as calculators, flashlights, clocks, radios, remote controls.



R20P-4B

1.5V, D size



Compliance CE ROHS
 Packing 4 pcs/pack, 4 packs/box
 24 packs/carton
 Carton dimension (cm) 35(L) * 25(W) * 22(H)
 Gross weight 9kg
 Volume 0.0192cbm



R14P-4B

1.5V, C size



Compliance CE ROHS
 Packing 4 pcs/pack, 4 packs/box
 36 packs/carton
 Carton dimension (cm) 30(L) * 28.5(W) * 21(H)
 Gross weight 7kg
 Volume 0.0179cbm



R20P-2B

1.5V, D size



Compliance CE ROHS
 Packing 2 pcs/pack, 6 packs/box
 48 packs/carton
 Carton dimension (cm) 35(L) * 25(W) * 22(H)
 Gross weight 9kg
 Volume 0.0192cbm



R14P-2B

1.5V, C size



Compliance CE ROHS
 Packing 2 pcs/pack, 6 packs/box
 72 packs/carton
 Carton dimension (cm) 30(L) * 28.5(W) * 21(H)
 Gross weight 7kg
 Volume 0.0179cbm



R6P-4B

1.5V, AA size



Compliance CE ROHS
 Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
 Gross weight 8kg
 Volume 0.0186cbm



R03P-4B

1.5V, AAA size



Compliance CE ROHS
 Packing 4 pcs/pack, 12 packs/box
 144 packs/carton
 Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
 Gross weight 7kg
 Volume 0.0150cbm



R6P-12B

1.5V AA



Compliance CE ROHS
 Packing 12 pcs/pack, 10 packs/box
 48 packs/carton
 Carton dimension (cm) 31.5(L) * 28.0(W) * 22.5(H)
 Gross weight 11.8kg
 Volume 0.0198cbm



R03P-12B

1.5V AAA



Compliance CE ROHS
 Packing 12pcs/pack, 10 packs/box
 48 packs/carton
 Carton dimension (cm) 30.0(L) * 22.0(W) * 20.0(H)
 Gross weight 7.9kg
 Volume 0.0132cbm



R6P-24B

1.5V AA



Compliance CE ROHS
 Packing 24 pcs/pack, 12 packs/box
 24 packs/carton
 Carton dimension (cm) 27.5(L) * 26.5(W) * 21.0(H)
 Gross weight 11.7kg
 Volume 0.0153cbm



R03P-24B

1.5V AAA



Compliance CE ROHS
 Packing 24 pcs/pack, 12 packs/box
 24 packs/carton
 Carton dimension (cm) 25.5(L) * 23.0(W) * 18.5 (H)
 Gross weight 7.3kg
 Volume 0.010cbm



6F22-1B

9V



Compliance CE ROHS
 Packing 1 pcs/pack, 10 packs/box
 120 packs/carton
 Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
 Gross weight 6kg
 Volume 0.0186cbm



6F22-2B

9V



Compliance CE ROHS
 Packing 2 pcs/pack, 5 packs/box
 60 packs/carton
 Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
 Gross weight 6kg
 Volume 0.0186cbm

> Shrink Wrap Packaging



R20P-2S
1.5V, D size
6 942449 520425

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
120 packs/carton
Carton dimension (cm) 33.5(L) * 30(W) * 22.5(H)
Gross weight 22kg
Volume 0.0226cbm



R14P-2S
1.5V, C size
6 942449 521019

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
240 packs/carton
Carton dimension (cm) 33(L) * 22.5(W) * 27(H)
Gross weight 22kg
Volume 0.020cbm



R6P-4S
1.5V, AA size
6 942449 521644

Compliance CE ROHS
Packing 4 pcs/pack, 15 packs/box
300 packs/carton
Carton dimension (cm) 30.5(L) * 18.5(W) * 27.5(H)
Gross weight 17kg
Volume 0.0155cbm



R03P-4S
1.5V, AAA size
6 942449 522238

Compliance CE ROHS
Packing 4 pcs/pack, 15 packs/box
540 packs/carton
Carton dimension (cm) 33.5(L) * 26.5(W) * 15.5(H)
Gross weight 17kg
Volume 0.014cbm



R6P-8S
1.5V, AA size
6 942449 521668

Compliance CE ROHS
Packing 8 pcs/pack, 20 packs/box
80 packs/carton
Carton dimension (cm) 25(L) * 16.5(W) * 24(H)
Gross weight 9kg
Volume 0.01cbm



R03P-8S
1.5V, AAA size
6 942449 522252

Compliance CE ROHS
Packing 8 pcs/pack, 40 packs/box
160 packs/carton
Carton dimension (cm) 23.5(L) * 18.5(W) * 22(H)
Gross weight 11kg
Volume 0.01cbm



R6P-10S
1.5V, AA size
6 942449 521651

Compliance CE ROHS
Packing 10 pcs/pack, 5 packs/box
100 packs/carton
Carton dimension (cm) 30.5(L) * 18.5(W) * 27.5(H)
Gross weight 14kg
Volume 0.0155cbm



R03P-10S
1.5V, AAA size
6 942449 522245

Compliance CE ROHS
Packing 10 pcs/pack, 5 packs/box
180 packs/carton
Carton dimension (cm) 33.5(L) * 26.5(W) * 15.5(H)
Gross weight 14kg
Volume 0.014cbm



6F22-1S
1.5V, AA size
6 942449 524010

Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
500 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 20(H)
Gross weight 20kg
Volume 0.014cbm

Super Heavy Duty Battery



PKCELL super heavy duty battery is always welcomed by our customers by its stable quality and good cost performance. It is widely used for many applications: clocks, remote controls, recorders and so on.



R6P-4B
1.5V, AA size
6 942449 521231

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 8kg
Volume 0.0186cbm



R03P-4B
1.5V, AAA size
6 942449 521835

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 7kg
Volume 0.0150cbm

Button Cell

PKCELL Button Cell provides stable energy for small electronic devices and is available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipments, widely used for small electronic gadgets, such as car keys, calculators, hearing aids.



> Lithium Button Cell



Item No.	System	Normal Voltage	Capacity (mAh)	Dimension (mm)	Weight (g)	Recommended Continuous Drain (ma)	Recommended Pulse Drain (ma)
CR927	Lithium	3.0	30	9.5×2.7	0.6	0.5	5
CR1216	Lithium	3.0	25	12.5×1.6	0.7	1.0	5
CR1220	Lithium	3.0	40	12.5×2.0	0.9	1.0	5
CR1225	Lithium	3.0	50	12.5×2.5	1.0	2.0	5
CR1616	Lithium	3.0	50	16.0×1.6	1.2	2.0	10
CR1620	Lithium	3.0	70	16.0×2.0	1.6	2.0	10
CR1632	Lithium	3.0	120	16.0×3.2	1.3	2.0	15
CR2016	Lithium	3.0	75	20.0×1.6	1.8	2.0	15
CR2025	Lithium	3.0	150	10.0×2.5	2.4	2.0	15
CR2032	Lithium	3.0	210	20.0×3.2	3.0	3.0	20
CR2032	Lithium	3.0	220	20.0×3.2	3.1	3.0	20
CR2320	Lithium	3.0	130	23.0×2.0	3.0	3.0	20
CR2325	Lithium	3.0	190	23.0×2.5	3.5	3.0	20
CR2330	Lithium	3.0	260	23.0×3.0	4.0	3.0	20
CR2430	Lithium	3.0	270	24.5×3.0	4.5	3.0	20
CR2450	Lithium	3.0	600	24.5×5.0	6.2	3.0	20
CR2477	Lithium	3.0	900	24.5×7.7	7.0	3.0	10
CR2477	Lithium	3.0	1000	24.5×7.7	9.9	3.0	30
CR3032	Lithium	3.0	500	30.0×3.2	6.8	3.0	20

CR2016-5B

3.0V



Compliance CE ROHS
Packing 5 pcs/pack,
30 packs/box
600 packs/carton
Carton dimension(cm)
44(L) * 41(W) * 15(H)
Gross weight 9.5kg
Volume 0.027cbm

Different names of CR series batteries

Name	CR2032	CR2025	CR2016	CR1620	CR1616	CR1225	CR1220	CR1216
Ansi/neda	5004LC	5003LC	5000LC	5009LC	5021LC	5020LC	5012LC	5034LC
Iec	CR2032	CR2025	CR2016	CR1620	CR1616	CR1225	CR1220	CR1216
Duracell	DL2032	DL2025	DL2016	DL1620	DL1616	-----	DL1220	DL1216
Rayovac	CR2032	CR2025	CR2016	CR1620	CR1616	-----	-----	CR1216
Energizer	E-CR2032	E-CR2025	E-CR2016	E-CR1620	E-CR1616	E-CR1225	E-CR1220	E-CR1216
Renata	CR2032	CR2025	CR2016	CR1620	CR1616	CR1225	CR1220	CR1216
Panasonic	CR2032	CR2025	CR2016	CR1620	CR1616	CR1225	CR1220	CR1216
Toshiba	CR2032	CR2025	CR2016	-----	CR1616	-----	CR1220	CR1216
Varta	CR2032	CR2025	CR2016	CR1620	CR1616	-----	CR1220	CR1216
Maxell	CR2032	CR2025	CR2016	CR1620	CR1616	-----	CR1220	CR1216
Gold peak	CR2032	CR2025	CR2016	-----	CR1616	-----	CR1220	-----



CR2016-2B

3.0V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.8kg
Volume 0.018cbm



CR2016-1B

3.0V



Compliance CE ROHS
Packing 1pcs/pack,20packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.5kg
Volume 0.018cbm



CR2025-5B

3.0V



Compliance CE ROHS
Packing 5 pcs/pack, 30 packs/box
600 packs/carton
Carton dimension (cm) 44(L) * 41(W) * 15(H)
Gross weight 11.5kg
Volume 0.027cbm



CR2025-2B

3.0V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.9kg
Volume 0.018cbm



CR2025-1B

3.0V



Compliance CE ROHS
Packing 1 pcs/pack, 20 packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.7kg
Volume 0.018cbm



CR2032-5B

3.0V



Compliance CE ROHS
Packing 5 pcs/pack, 30 packs/box
600 packs/carton
Carton dimension (cm) 44(L) * 41(W) * 15(H)
Gross weight 13kg
Volume 0.027cbm



CR2032-2B

3.0V



Compliance CE ROHS
Packing 1 pcs/pack, 20 packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 4kg
Volume 0.018cbm



CR2032-1B

3.0V



Compliance CE ROHS
Packing 1pcs/pack,20packs/box
400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.8kg
Volume 0.018cbm

> Super Alkaline Button Cell



Item No.	Voltage (V)	Capacity (mAh)	Size Dia*H.(mm)	Weight (g)	Chemistry
AG0	1.5	10	5.75x2.1	0.28	Alkaline
AG1	1.5	13	6.75x2.1	0.28	Alkaline
AG2	1.5	28	7.85x2.6	0.44	Alkaline
AG3	1.5	35	7.85x3.5	0.60	Alkaline
AG4	1.5	18	6.75x2.5	0.32	Alkaline
AG5	1.5	60	7.90x5.4	0.90	Alkaline
AG6	1.5	32	9.40x2.1	0.55	Alkaline
AG7	1.5	42	9.40x2.5	0.64	Alkaline
AG8	1.5	45	11.50x2.1	0.79	Alkaline
AG9	1.5	45	9.40x3.5	0.86	Alkaline
AG10	1.5	75	11.50x3.1	1.18	Alkaline
AG11	1.5	20	7.85x2.1	0.38	Alkaline
AG12	1.5	100	11.50x4.1	1.47	Alkaline
AG13	1.5	145	11.50x4.5	1.96	Alkaline




AG1-10B

1.5V



Compliance CE ROHS
Packing 10 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 6kg
Volume 0.022cbm



AG1-5B

1.5V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 4kg
Volume 0.022cbm



AG1-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 2.4kg
Volume 0.018cbm



AG3-10B

1.5V



Compliance CE ROHS
Packing 10 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 6kg
Volume 0.022cbm

Different names of AG series batteries

AG13	LR44	G13	LR44	A76	GP76A	357	SR44W
AG12	LR43	G12	LR43	186	GP86A	386	SR43W
AG11	LR721	G11	LR58	162	GP62A	362	SR721W
AG10	LR1130	G10	LR54	189	GP89A	389	SR1130W
AG9	LR936	G9	LR45	194	GP94A	394	SR936W
AG8	LR1120	G8	LR55	191	GP91A	391	SR1120W
AG7	LR926	G7	LR57	195	GP95A	395	SR927W
AG6	LR921	G6	LR69	171	GP71A	371	SR920W
AG5	LR754	G5	LR48	193	GP93A	393	SR754W
AG4	LR626	G4	LR66	177	GP77A	377	SR626W
AG3	LR41	G3	LR41	192	GP92A	392	SR41W
AG2	LR726	G2	LR59	196	GP96A	396	SR726W
AG1	LR621	G1	LR60	164	GP64A	364	SR621W
AG0	LR521	G0				379	SR521W



AG3-5B

1.5V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 4kg
Volume 0.022cbm



AG3-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 2.4kg
Volume 0.018cbm



AG4-10B

1.5V



Compliance CE ROHS
Packing 10 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 6.2kg
Volume 0.022cbm



AG4-5B

1.5V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 4.2kg
Volume 0.022cbm



AG4-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 2.5kg
Volume 0.018cbm




AG10-10B

1.5V



Compliance CE ROHS
Packing 10 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 8kg
Volume 0.022cbm



AG10-5B

1.5V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 6kg
Volume 0.022cbm



AG10-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 3.8kg
Volume 0.018cbm




AG13-10B

1.5V



Compliance CE ROHS
Packing 10 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 11kg
Volume 0.022cbm



AG13-5B

1.5V



Compliance CE ROHS
Packing 5 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 44(L) * 37(W) * 13.8(H)
Gross weight 8.5kg
Volume 0.022cbm



AG13-2B

1.5V



Compliance CE ROHS
Packing 2 pcs/pack, 20 packs/box
 400 packs/carton
Carton dimension (cm) 39.5(L) * 16.6(W) * 27(H)
Gross weight 4kg
Volume 0.018cbm

PHOTO LITHIUM BATTERY

PKCELL PHOTO lithium batteries are widely used for big range of cameras.



CR123A-1B

3V

Compliance CE ROHS
Packing 1 pcs/pack, 8 packs/box
 96 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 3.85kg
Volume 0.0150cbm



CR2-1B

3V

Compliance CE ROHS
Packing 1 pcs/pack, 8 packs/box
 96 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 2.75kg
Volume 0.0150cbm



Rechargeable

Products Series

- Ready To Use Battery
- NiMH Rechargeable Battery
- Lithium Ion Battery



Ready To Use Battery

PKCELL Ready to use battery is a pre-charged, long-life, energy, money saving and environmentally friendly battery which enable to hold charge for up to one year, 2times more circle life than common batteries. It provides excellent performance-to-cost advantages over both conventional dry-cell batteries and common rechargeable batteries.



Ni-Mh
D9000mAh-2B

1.2V, D size

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
48 packs/carton
Carton dimension (cm) 35(L)*25(W)*22(H)
Gross weight 17kg
Volume 0.0192cbm



Ni-Mh
C4500mAh-2B

1.2V, C size

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
72 packs/carton
Carton dimension (cm) 30(L) * 28.5(W) * 21(H)
Gross weight 13kg
Volume 0.0179cbm



NI-MH
AA2600-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 20kg
Volume 0.186cbm



NI-MH
AA2600-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 10kg
Volume 0.186cbm



NI-MH
AA2000-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 20kg
Volume 0.186cbm



NI-MH
AA2000-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 10kg
Volume 0.186cbm



NI-MH
AA1200-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 18.5kg
Volume 0.186cbm



NI-MH
AA1200-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 9kg
Volume 0.186cbm



NI-MH
AA600-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 18kg
Volume 0.186cbm



NI-MH
AA600-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 8.5kg
Volume 0.186cbm



NI-MH
AAA1000-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 9kg
Volume 0.015cbm



NI-MH
AAA1000-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 5kg
Volume 0.015cbm



NI-MH
AAA600-4B

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 8.5kg
Volume 0.015cbm



NI-MH
AAA600-2B

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 4.8kg
Volume 0.015cbm



Ni-MH
250mAh-1B

9V

Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
120 packs/carton
Carton dimension (cm) 33 (L) * 29.5(W) * 21(H)
Gross weight 7.5kg
Volume 0.02cbm



Ni-MH
350mAh-1B

9V

Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
120 packs/carton
Carton dimension (cm) 33 (L) * 29.5(W) * 21(H)
Gross weight 8kg
Volume 0.02cbm

NiMH Rechargeable battery

PKCELL Ni-MH Rechargeable batteries offer high capacity performance, produce less waste than disposable batteries & enable energy and raw material savings. Good for all applications: Digital camera, portable video, game, flashlight, remote control, toy, MP3/MP4 player, electric razor.



Ni-Mh
D1000mAh-2B

1.2V, D size

6 942449 543622

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
48 packs/carton
Carton dimension (cm) 35(L) * 25(W) * 22(H)
Gross weight 17kg
Volume 0.0192cbm



Ni-Mh
C5000mAh-2B

1.2V, C size

6 942449 544223

Compliance CE ROHS
Packing 2 pcs/pack, 6 packs/box
72 packs/carton
Carton dimension (cm) 30(L) * 28.5(W) * 21(H)
Gross weight 13kg
Volume 0.0179cbm



Ni-MH
AA2800mAh-4B

1.2v, AA size

6 942449 545282

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 20kg
Volume 0.0186cbm



Ni-MH
AA2800mAh-2B

1.2V, AA size

6 942449 545268

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 10kg
Volume 0.0186cbm



Ni-MH
AA2600mAh-4B

1.2V, AA size

6 942449 544957

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 19kg
Volume 0.0186cbm



Ni-MH
AA2600mAh-2B

1.2V, AA size

6 942449 544988

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 9.5kg
Volume 0.0186cbm



Ni-MH
AA2000mAh-4B

1.2V, AA size

6 942449 544995

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 18kg
Volume 0.0186cbm



Ni-MH
AA2000mAh-2B

1.2V, AA size

6 942449 544940

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 9kg
Volume 0.0186cbm



Ni-MH
AA1300mAh-4B

1.2V, AA size

6 942449 544865

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 17.5kg
Volume 0.0186cbm



Ni-MH
AA1300mAh-2B

1.2V, AA size

6 942449 544827

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 8.5kg
Volume 0.0186cbm



Ni-MH
AA600mAh-4B

1.2V, AA size

6 942449 545558

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 16.5kg
Volume 0.0186cbm



Ni-MH
AA600mAh-2B

1.2V, AA size

6 942449 545534

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 33(L) * 29.5(W) * 21(H)
Gross weight 8.2kg
Volume 0.0186cbm



Ni-MH
AAA1200mAh-4B

1.2V, AAA size

6 942449 545329

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 10kg
Volume 0.0150cbm



Ni-MH
AAA1200mAh-2B

1.2V, AAA size

6 942449 545305

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 5kg
Volume 0.0150cbm



Ni-MH
AAA1000mAh-4B

1.2V, AAA size

6 942449 545480

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 9.8kg
Volume 0.0150cbm




Ni-MH
AAA1000mAh-2B

1.2V, AAA size

6 942449 545442

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 5kg
Volume 0.0150cbm



Ni-MH
AAA600mAh-4B

1.2V, AAA size

6 942449 545367

Compliance CE ROHS
Packing 4 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 9.5kg
Volume 0.0150cbm



Ni-MH
AAA600mAh-2B

1.2V, AAA size

6 942449 545343

Compliance CE ROHS
Packing 2 pcs/pack, 12 packs/box
144 packs/carton
Carton dimension (cm) 27.5(L) * 26(W) * 21(H)
Gross weight 5kg
Volume 0.0150cbm



Ni-MH
9V250mAh-1B

9V

6 942449 543028

Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
120 packs/carton
Carton dimension (cm) 33 (L) * 29.5(W) * 21(H)
Gross weight 7kg
Volume 0.02cbm



Ni-MH
9V 350mAh-1B

1.2V, AA size

6 942449 543066

Compliance CE ROHS
Packing 1 pcs/pack, 10 packs/box
120 packs/carton
Carton dimension (cm) 33 (L) * 29.5(W) * 21(H)
Gross weight 7.5kg
Volume 0.02cbm



Lithium Ion battery

- Widely used for most kinds of flashlight applications.
- Higher energy density and lower weight than other types rechargeable batteries
- Manufactured under ISO9001-2000 to assure quality
- Battery tested based on International Electrotechnical Commission (IEC) standard to ensure capacity, quality and life time



Rechargeable 18650
2600mAh

3.7V

6 942449 597014

No memory effect Supports up to 500 circles
Protection against short-circuit and overload
Capacity 2600mAh 3.7V Li-ion

Dimension (mm): 18(D) * 65(H)
Weight (g) 50
Packing 1 pcs/pack, 12 packs/box
168 packs/carton
Carton dimension (cm) 44(L) * 24(W) * 36(H)
Gross weight 9.2kg
Volume 0.038cbm



Electronic Products

Products Series

- Charger
- Power Bank
- Flashlights & torches

POWER BANK



FLASHLIGHT

Bright, carry



Charger

Proper charging of Nickel-Metal Hydride (NiMH) batteries is important to optimize performance in any product. PKCELL® offers a wide range of chargers to meet the needs of our customers in terms of special features and price.



8154

Charges:

1-4 × AA

1-4 × AAA



NI-MH

NI-CD



MAIN FEATURES

- Certificate: CE, ROHS, ETL
- Suitable for 1 to 4 pcs AA/AAA NI-MH/NI-CD batteries.
- The high sensitivity -dv detector stops charging once it detects the batteries are fully charged.
- Timer Control Protection: The charger automatically detects the correct charging time and main charging current changes to a trickle current. The charger always shuts off the main charging current and switches to trickle charge after about 7 hours.
- Over Temperature Protection (up to 55 °C)
- Defective and Non-rechargeable battery detection
- Low Battery Leakage Current
- Trickle Charge After Full Charge
- Short Circuit Protection
- Charging Indicators
Red LED on: Charging, Green LED on: Fully charged and trickle charging.
Red LED Flashing: Defective batteries or Non-rechargeable battery Short circuit
- Pulse Charging Feature

Includes:



> Fast Charger

8152



Charges:

1-4 × AA

1-4 × AAA




NI-MH

NI-CD



LCD indication



MAIN FEATURES

- Certificate: CE, ROHS, ETL
- Suitable for 1 to 4 pcs AA/AAA NI-MH/NI-CD batteries.
- The high sensitivity -dv detector stops charging once it detects the batteries are fully charged.
- Defective and Non-rechargeable battery detection.
- Reverse polarity protection.
- Timer control protection
- Voltage control charging
- Short circuit protection
- Low battery leakage current
- Trickle charge after full charge
- Charging indicators: LCD
- Pulse charging Feature.

SPECIFICATION

Input: AC 100-240V, 50/60HZ
Output: DC 4* 14V
 AA—400ma (for 1 or 2 batteries)
 --260ma (for 3 batteries)
 --200ma (for 4 batteries)
 AAA—200ma (for 1 or 2 batteries)
 --130ma (for 3 batteries)
 --100ma (for 4 batteries)
Trickle charge: AA@16ma, AAA@8ma

PACKING

Packing: 1pcs/pack, 32 packs/carton
Carton dimension (cm): 50.5(L) * 48.5(W) * 30(H)
Gross weight: 6kg **Volume:** 0.0735cbm

AVAILABLE COLORS

Silver White



> Standard Charger

8126



Charges:

1-4 × AA

1-4 × AAA



NI-MH


NI-CD



MAIN FEATURES

- Certificate: CE, ROHS, ETL
- 1-2pcs AA/AAA NI-MH/NI-CD
- The LEDs show the charging situation of the batteries
- The LED would not turn on
- World wide voltage input.

Includes:



SPECIFICATION

Input: AC 100V-240V 50/60HZ
Output: DC 1.2V 120ma*2
 120ma*1 9V 35ma*130ma*1

PACKING

Packing: 1pcs/pack, 50 packs/carton
Carton dimension (cm): 50.5 (L) * 35(W) * 18(H)
Gross weight: 4.1kg **Volume:** 0.0318cbm

AVAILABLE COLORS

Black White

8174



Charges:

1-4 x AA


NI-MH

1-4 x AAA

NI-CD



Includes:



MAIN FEATURES

- Certificate: CE, ROHS,
- 2 or 4pcs AA/AAA NI-MH/NI-CD rechargeable batteries.
- The LEDs show the charging situation of the batteries.
- The LED would not turn on.
- World wide voltage input.

SPECIFICATION

Input: AC 100-240V, 50/60HZ
Output: DC 2.4V 200ma*4 200ma*2

PACKING

Packing: 1pcs/pack, 60 packs/carton
Carton dimension (cm): 59(L) * 33(W) * 39(H)
Gross weight: 7kg **Volume:** 0.076cbm

AVAILABLE COLORS

Silver White

8182

Charges:

1-4 x AA

NI-MH

1-4 x AAA

NI-CD



Includes:



MAIN FEATURES

- Certificate: CE, ROHS
- 1- 4pcs AA/AAA/D/C NI-MH/NI-CD and 2pcs of 9V rechargeable batteries.
- The LEDs show the charging situation of the batteries.
- The LED would not turn on.
- World wide voltage input.

SPECIFICATION

Input: AC 100V-240V 50/60HZ
Output: DC 1.2V D/C/AA/AAA 150ma*4, 9V 25ma

PACKING

Packing: 1pcs/pack, 20 packs/carton
Carton dimension (cm): 51(L) * 34(W) * 22(H)
Gross weight: 12kg **Volume:** 0.038cbm

AVAILABLE COLORS

Silver

POWER BANK

The indoor, outdoor can be used, small size, exquisite appearance and portable. More than 8 hours aging test, to ensure that each product quality. The intelligent IC conversion system, high efficiency, low loss. Intelligent protection system is stable and reliable. Bidirectional USB interface, plug and play. Support most brand mobile phone, PSP, mp3/mp4, PDA and other digital products.



PK-9408



CE
FC
ROHS



FEATURE

- High capacity of 4000mAh with small size
- Smart and similar design as Iphone
- Ultrathin, light and easy to carry
- Quick charge
- Four smart LED display remaining power
- Multiple safety protection system to ensure devices safety protection for overcharge over discharge overvoltage overcurrent and short circuit

PACKING

Dimension (mm): 123.8*58.6*8.5
Weight: 130g
Package: card blister/ color box
Packing: 1pcs/pack, 40packs/carton
Carton dimension (cm): 44 (L) 24*(W) 36*(H)
Gross weight: 8 kg
Volume: 0.038cbm

SPECIFICATION

Battery Type: Li-polymer battery
Capacity: 4000mAh
Input: Micro USB 5V 1A
Output: USB 5V 2.1A

AVAILABLE COLORS

Gold Gray Blue

PK-9802



CE
FCC
ROHS



FEATURE

- Polymer battery: safe and reliable without any explosion and memory effect.
- Inter microcomputer control products.
- Static low power design consumption.
- Single USB with large current and high conversion rate output.
- Automatically switch when the insert or pull out the load before automatically open or close the output.
- It has judgement of saturation function and will power off automatically when the output is less than 80mah/hour.
- Real-time intelligent level 4 LED indicator charge and discharge capacity
- Intelligent protection functions:

with many protections of over-charge
over-discharge
overcurrent and short-circuit

Auto-hibernation:

Auto-hibernation will prevent the electricity loss in non-working status.

SPECIFICATION

Battery Type: Li-Polymer batteries

Capacity: 8000mAh

Input: Micro USB 5V 1A

Output: USB: 5V 1A

AVAILABLE COLORS



PACKING

Dimension (mm): 149 * 68 * 11.2
Weight: 200g
Package: color box
Packing: 1pcs/pack, 40packs/carton
Carton dimension (cm): 44 (L) 24*(W) 36*(H)
Gross weight: 10.8kg
Volume: 0.038cbm

PK-9800



CE
FCC
ROHS



FEATURE

- Polymer battery: safe and reliable without any explosion and memory effect.
- Inter microcomputer control products.
- Static low power design consumption.
- Double USB with large current and high conversion rate output.
- Automatically switch when the insert or pull out the load before automatically open or close the output.
- It has judgement of saturation function and will power off automatically when the output is less than 80mah/hour.
- Real-time intelligent LED indicator charge and discharge capacity
- Intelligent protection functions:

with many protections of over-charge
over-discharge
overcurrent and short circuit

Auto-hibernation:

Auto-hibernation will prevent the electricity loss in non-working status.

SPECIFICATION

Battery Type: Li-Polymer batteries

Capacity: 8000mAh

Input: Micro USB 5V 1A

Output: 5V 1A, Output2: 5V 1A

AVAILABLE COLORS



PACKING

Dimension (mm): 157*73*12
Weight: 300g
Package: color box
Packing: 1pcs/pack, 40packs/carton
Carton dimension (cm): 44 (L) 24 * (W) 36 * (H)
Gross weight: 14.8kg
Volume: 0.038cbm

Flashlights&torches

Imported patented LED technology,

Bright & long lasting LED to **100,000 hours**,

Low power consumption, up to **100 hours** of use.



LED Mini Torch

Compact fits in your pocket
Unique appearance, durable aluminum casing
Water and shock resistant
High-brightness LED flashlight bright flashlight.
Best for camping, travel, boating or even walking the dog.



Large Plastic AA Torch

Economical, general purpose, krypton, vacuum bulb
Best for camping, travel, fishing, household use.



Plastic Rechargeable Torch

Cloverleaf reflector system for maximum focus and intensity
Long service life up to 500 hours continuous lighting.
Best for household use, camping, travel, fishing walking the dog.



Aluminum Alloy Torch

Powerful lights distances up to 150 meters
Energy saving LEDs up to 5 times brighter, 8 times more efficient than regular krypton bulbs
Blasing rain still normal use.
Handy grip with hooks, anti-roll design
Best for household use, camping, travel, fishing walking the dog.



Promotional Accessories



Note book



Pen



Bags



T-shirt



Kettle



U disk



Keychain



Mugs

Partners

we are recruiting agents all over the world



• North America

- Canada
- U. S. A

• Caribbean/ Latin America

- Argentina
- Brazil
- Bolivia
- Chile
- Colombia
- Costa Rica
- Cuba
- Dominica
- Ecuador
- EL Salvador
- Guatemala
- Haiti
- Mexico
- Nicaragua
- Panama
- Paraguay
- Peru
- Puerto Rico
- Trinidad and Tobago
- Uruguay
- Venezuela

• Middle East /Africa

- Algeria
- Benin
- Egypt
- Iran
- Israel
- Kuwait
- Lebanon
- Sierra Leone
- Saudi Arabia
- Syria
- S. Africa
- Tunisia
- U.A.E.
- Uganda

• Europ

- Austria
- Albania
- Andorra
- Belarus
- Belgium
- Bosnia
- Bulgaria
- Czech Republic
- Croatia
- Cyprus
- Denmark
- Estonia
- Finland
- France
- Germany
- Georgia
- Greece
- Hungary
- Iceland
- Ireland
- Italy
- Latvia
- Lithuania
- Luxembourg
- Macedonia
- Malta
- Netherland
- Norway
- Portugal
- Poland
- Romania
- Russia
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom
- Ukraine

• Asia

- Afghanistan
- Armenia
- Azerbaijan
- Bangladesh
- Cambodia
- China
- Hong Kong
- Indonesia
- India
- Iraq
- Japan
- Jordan
- Korea
- Kazakhstan
- Lao
- Malaysia
- Pakistan

• Oceania

- Australia
- Fiji
- New Zealand



Being a **leading and respected** enterprise in the field of power solution.

Future

